

## TECHNICAL DATA

**NIDAGRAVEL 129/139****SPECIFICATIONS**

Properties		129XS	129	129+	139+	STANDARDS
Material		PP and anti-UV high-performance 100% recycled and recyclable				
Mass per unit area (kg/m²)		1.30	1.20	1.60	2.10	ISO 845
Length (mm)		800	1,200			ISO 1923
Width (mm)	Standard format	800				
	XL Format	-	1,600			
Thickness (mm)	Panel	29		30	40	
	Walls	± 1mm				
Cell size (mm)		± 56	± 50			
Colour		White	White, beige, pink, grey, black			
Heat-sealed nonwoven	Side 1	PET 45g/m²				NFEN 29 073-1
	Side 2	Without				
Resistance to chemical agents		Excellent resistance to water and most acids, bases and salt solutions				
UV-resistant		Anti-UV treatment				
Grade stability for carriageways		Up to 10% slope				
*Pink, grey and beige Nidagravel are available on request with a minimum order quantity (contact us)						
Compression resistance filled with gravel*		up to 400 t/m²				ISO 844
Applications**		Areas for pedestrians, cyclists and light motorcyclists				ISO 124
		Private driveways - Light vehicles				
		Private parking spaces - Light vehicles				

\*varies depending on nature of filling material

\*\*Applications are specified pursuant to standards requirements mentioned, and in the case of a filled slab

NOTE: Values indicated in this sheet may be used as guidelines for product use; they should be considered neither as specification limits, nor as guarantees. In addition, product application, use and/or processing are beyond our control and, consequently, are the exclusive user and/or processor responsibility.

Product name	Code article	Height (mm)	Dimensions (mm)	Units per package	Type of packaging
NIDAGRAVEL 129+ WHITE/H30MM/1200X800MM/DUAL	11651	30	1,200 x 800	74	DUAL PALLET 1,200 x 800
NIDAGRAVEL 129+ GREY/H30MM/1200X800MM/DUAL	11833	30		74	
NIDAGRAVEL 129+ BLACK/H30MM/1200X800MM/DUAL	11726	30		74	
NIDAGRAVEL 129+XL WHITE/H30MM/1600X1200MM/DUAL	11652	30	1,600 x 1200	38	
NIDAGRAVEL 139+ WHITE/H40MM/1200X800MM/DUAL	11553	40	1,200 x 800	56	DUAL PALLET 1,200 x 800
NIDAGRAVEL 139+ BLACK/H40MM/1200X800MM/DUAL	11554	40		56	
NIDAGRAVEL 139+XL WHITE/H40MM/1600X1200MM/DUAL	11558	40	1,600 x 1,200	28	
NIDAGRAVEL 129 WHITE/H29MM/1200X800MM/DUAL	10909	29	1,200 x 800	74	DUAL PALLET 1,200 x 800
NIDAGRAVEL 129 BLACK/H29MM/1200X800MM/DUAL	10910	29		74	
NIDAGRAVEL 129 PINK/H29MM/1200X800MM/DUAL	10889	29		74	
NIDAGRAVEL 129 BEIGE/H29MM/1200X800MM/DUAL	10888	29		74	
NIDAGRAVEL 129 GREY/H29MM/1200X800MM/DUAL	11207	29		74	
NIDAGRAVEL 129XS WHITE/H29MM/800X800MM/DUAL	11559	29	800 x 800	114	DUAL PALLET 1,200x800
PREMIUM STAINLESS STEEL MARKER/H10MM/100X100MM	10890	10	100 x 100	50	BOX

## TECHNICAL DATA

# NIDAGRAVEL 129/139

### NIDAGRAVEL 129-139 PACKAGING



PRODUCTS	129	129+	129+XL	139+	139+XL
COUNT PER PALLET	2x37	2x37	2x19	2x28	2x14
M² / PALLET	2x35.52	2x35.52	2x36.48	2x26.88	2x26.88
PALLET WEIGHT (KG)	2x53	2x57	2x60	2x63	2x63
PALLET HEIGHT (MM)	2,446	2,520	2,580	2,540	2,540
PACKAGE DIMENSIONS	L	1,200MM			
	W	800MM			
PACKAGING DESCRIPTION	PROTECTIVE COVER STRAPPING ANGLE IRON FOR MARKETING PURPOSES DISPOSABLE WOODEN DUAL PALLET				

### NIDAGRAVEL 129XS PACKAGING



PRODUCT	129 XS	
COUNT PER PALLET	2 x 57	
M <sup>2</sup> / PALLET	2 x 36.48	
PALLET WEIGHT (KG)	2 x 60	
PALLET HEIGHT (MM)	2,504	
PACKAGE DIMENSIONS	L	1,200MM
	W	800MM
PACKAGING DESCRIPTION		PROTECTIVE COVER STRAPPING ANGLE IRON FOR MARKETING PURPOSES DISPOSABLE WOODEN DUAL PALLET


STABLE, PERMEABLE GROUND SURFACES

TECHNICAL DATA


# NIDAGRAVEL 129/139



## NIDAGRAVEL 129+ / 139+ DIMENSIONAL DIAGRAMS



## NIDAGRAVEL 129 DIMENSIONAL DIAGRAMS



## NIDAGRAVEL 129XS DIMENSIONAL DIAGRAMS

